

DS-QAPS1R20-8
8-inch Full Range Speaker 200W



- Woofer:1x8 inch / Tweeter:1x1.0 inch
- 96 dB@ 2.83V/1 m Sensitivity
- 118 dB(peak 126 dB) Rated Maximum SPL
- 76 Hz-20 kHz (-10 dB) bandwidth
- 200W Rated Power

▪ Specification


Model		DS-QAPS1R20-8
Speaker	Impedance	8 Ω
	Rated Power	200W
	Sensitivity(1 m, 1 W)	96 dB@ 2.83V/1 m
	Max. Acoustic Pressure	118 dB(peak 126 dB)
	Frequency Response	76 Hz-20 kHz (-10 dB)
	Speaker Unit	Woofer:1x8 inch / Tweeter:1x1.0 inch
	Coverage Angle	80°x50°(HxV)
General	Material	15 cl multi-layer solid wood plywood
	Dimension	H450mmxW275mmxD270mm
	Weight	Approx. 12 kg (26.7 lb.)
	Color	Matte black raindrop paint
	Packing List	Speaker*1/Product Manual*1/Certificate*1/Warranty Card*1
	Installation	Vertical hanging/horizontal hanging/bottom support
	Application Temperature Range	-30~+60°C, 95% No condensation

▪ Load Diagram

Frequency response curve




Impedance curve




▪ Available Model

DS-QAPS1R20-8


▪ Dimension




Front view



Side view



Top view



Bottom view

Headquarters

No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
www.hikvision.com



Follow us on social media to get the latest product and solution information.



Hikvision



HikvisionHQ



HikvisionHQ



Hikvision_Global



Hikvision
Corporate Channel



hikvisionhq